

27-AUG-2008 2008-3131

10-DEC-2009 2009-4949 : Notification : Change of Address

GROUP	U	FUNGICIDE
--------------	----------	------------------

**NET CONTENTS:
1 LITRE**

PREVICUR N®

Aqueous Solution Fungicide

For Control of Pythium Root Diseases in Greenhouse Tomato, Greenhouse Cucumbers and Greenhouse Peppers

COMMERCIAL

TRIPLE RINSE [symbol]

DANGER – CORROSIVE TO EYES

**REGISTRATION NUMBER : 26288
PEST CONTROL PRODUCTS ACT**

GUARANTEE :
Propamocarb hydrochloride 722 g/L

Notification Change

Bayer CropScience Inc.*
~~Suite 100, 3131 414th Avenue SE~~
~~Calgary, AB T2Z 3X2~~
Telephone: 1-888-283-6847

Suite 200, 160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

*Bayer Environmental Science
A Business Group of Bayer CropScience

**READ LABEL AND ATTACHED BROCHURE BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS. Corrosive. Causes eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, or smoking. If product comes in contact with clothing, remove all contaminated clothing, wash skin with soap and water and dress in clean clothing. Launder applicator clothing separate from other laundry. If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at www.croplife.ca.

Protective Clothing and Equipment: During ALL activities, workers must wear long pants, long-sleeved shirts and boots. During mixing, loading, and cleanup of spray solution and when handling freshly treated soil medium workers must ALSO wear chemical resistant gloves and safety goggles or a face shield.

FIRST AID: Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION: Medical Personnel should contact Bayer's medical information services, toll-free: 1-800-334-7577. **Note To Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL PRECAUTIONS AND INFORMATION: This product is toxic to fish, aquatic invertebrates, and marine/estuarine organisms. DO NOT allow effluent or runoff from greenhouses containing this product to enter lakes, streams, ponds or other waters. DO NOT contaminate water when disposing of equipment washwaters.

STORAGE: Do not contaminate water, food, or feed by storage or disposal. STORE IN A COOL PLACE, NOT BELOW 0°C OR ABOVE 30°C. If stored for 1 year or longer,

shake well before using. Store the tightly closed container away from feeds, seeds, fertilizer, plants and foodstuffs. Do not use or store in or around the home. Keep in original container during storage. In case of fire, leaking or damaged containers, call toll free 1-800-667-5959.

Recyclable Container Disposal: Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

Returnable Container Disposal: Do not reuse this container for any purpose. For disposal, this empty container may be returned to the point of purchase (distributor/dealer).

Disposal of Unused, Unwanted Product: For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for cleanup of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Previcur trademark applied for.

082608



GROUP	U	FUNGICIDE
-------	----------	-----------

**NET CONTENTS:
1 LITRE**

PREVICUR N®

Aqueous Solution Fungicide

For Control of Pythium Root Diseases in Greenhouse Tomato, Greenhouse Cucumbers and Greenhouse Peppers

COMMERCIAL



DANGER – CORROSIVE TO EYES

**REGISTRATION NUMBER : 26288
PEST CONTROL PRODUCTS ACT**

GUARANTEE :
Propamocarb hydrochloride
722 g/L

Notification Change

Bayer CropScience Canada Inc.*
~~#100-3131-114th Avenue S.E.~~
~~Calgary, AB, T2Z 3X2~~
Telephone: 1-888-283-6847

Suite 200, 160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

*Bayer Environmental Science
A Business Group of Bayer CropScience

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

PREVICUR N Fungicide

Table of Contents:

Section Number:

GENERAL INFORMATION	The Product	1
SAFETY AND HANDLING	Precautions, Protective Clothing & Equipment	2
	First Aid and Toxicological Information	3
	Environmental Precautions and Information	4
	Storage	5
	Disposal	6
	DIRECTIONS FOR USE	Crop, Disease, Rate, Timing
Resistance Management		8
Application Precautions and Re-entry Restrictions		9
Mixing Instructions		10
Notices		11

For More Information, Contact:

Notification Change

Bayer CropScience Canada Inc.*

~~#100-3131-114th S.E.~~

~~Calgary, AB, T2Z 3X2~~

Telephone: 1-888-283-6847

Suite 200, 160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

*Bayer Environmental Science
A Business Group of Bayer CropScience

GENERAL INFORMATION

Section 1: The Product

- For greenhouse applications on tomato, cucumber and peppers, use PREVICUR[®] N Fungicide in rotation with other effective labelled fungicides if available to control diseases caused by *Pythium* spp. during plant propagation and greenhouse production.
- PREVICUR[®] N Fungicide is a fungicide with protectant and limited systemic activity for the control of *Pythium* spp soil borne diseases. In moist soil, the product is absorbed by the roots and translocated to the aerial parts of the plants, thereby protecting roots, bulbs, seedlings and cuttings from disease infection.

SAFETY AND HANDLING

Section 2: Precautions, Protective Clothing and Equipment

PRECAUTIONS:

- **KEEP OUT OF REACH OF CHILDREN**
- **HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS**
- Corrosive
- Causes eye damage.
- Harmful if swallowed or absorbed through skin.
- Do not get in eyes or on clothing.
- Avoid contact with skin.
- Avoid breathing spray mist.
- Wash thoroughly with soap and water after handling and before eating, drinking, or smoking.
- If product comes in contact with clothing, remove all contaminated clothing, wash skin with soap and water and dress in clean clothing. Launder applicator clothing separate from other laundry.
- If this pest control product is to be used on a commodity that may be exported to the US and you require information on acceptable residue levels in the US, visit CropLife Canada's web site at: www.croplife.ca.

Protective Clothing and Equipment:

- During ALL activities, workers must wear long pants, long-sleeved shirts and boots.
- During mixing, loading, and cleanup of spray solution and when handling freshly treated soil medium workers must ALSO wear chemical resistant gloves and safety goggles or a face shield.

Section 3: First Aid and Toxicological Information

FIRST AID: Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION:

Medical personnel should contact Bayer's medical information services, toll-free: 1-800-334-7577.

Note To Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Section 4: Environmental Precautions and Information

- This product is toxic to fish, aquatic invertebrates, and marine/estuarine organisms. DO NOT allow effluent or runoff from greenhouses containing this product to enter lakes, streams, ponds or other waters.
- DO NOT contaminate water when disposing of equipment washwaters.

Section 5: Storage

- Do not contaminate water, food, or feed by storage or disposal.
- STORE IN A COOL PLACE, NOT BELOW 0° OR ABOVE 30°
- If stored for 1 year or longer, shake well before using.
- Store the tightly closed container away from feeds, seeds, fertiliser, plants and foodstuffs.
- Do not use or store in or around the home.
- Keep in original container during storage.
- In case of fire, leaking or damaged containers, call toll free 1-800-667-5959.

Section 6: Disposal

Recyclable Container Disposal:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

Returnable Container Disposal:

Do not reuse this container for any purpose. For disposal, this empty container may be returned to the point of purchase (distributor/dealer).

Disposal of Unused, Unwanted Product:

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for cleanup of spills.

DIRECTIONS FOR USE

Section 7: Crop, Disease, Rate, Timing

GREENHOUSE USE –TOMATO, CUCUMBER and PEPPER

PREVICUR N Fungicide is recommended for control of root rot and damping-off caused by *Pythium* spp. on greenhouse tomato, greenhouse cucumber and greenhouse peppers.

PREVICUR® N Fungicide requires no agitation after initial mixing. Stock solutions of **PREVICUR® N Fungicide** should be used within one day of mixing. Do not mix with other products. Prevent intense sunlight after application.

CROP: greenhouse tomato, greenhouse cucumber and greenhouse peppers

DISEASE: root rot and damping-off caused by *Pythium* spp.

RECOMMENDATION:

At seeding or during propagation stage (before transplanting): Make first application to growing medium at seeding or during propagation stage. A second application may be made 7 - 10 days later if pressure warrants.

After transplanting: Applications may be made after transplanting on 7 - 10 days intervals.

Maximum number of applications: 4 times per crop cycle. Do not apply more than 2 seeding/seedling applications per crop cycle. Do not apply more than 2 after transplanting applications per crop cycle.

RATE: Mix 10 ml **PREVICUR® N Fungicide** in 10 litres of water and apply this solution at 100-200 ml of solution per plant through drench directed to the rooting medium. The higher rate should be used for second and third application.

Section 8: Resistance Management

For resistance management, please note that **PREVICUR® Fungicide** contains a Group U fungicide. Any fungal population may contain individuals naturally resistant to **PREVICUR® Fungicide** and other Group U fungicides. A gradual or total loss of pest control may occur over time if these fungicides are used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed. To delay fungicide/bactericide resistance:

- Where possible, rotate the use of **PREVICUR® Fungicide** or other Group U fungicides with different groups that control the same pathogens. Use a maximum of four applications of **PREVICUR N** per season.
- Use tank mixtures with fungicide from a different group when such use is permitted.

- Fungicide use should be based on an IPM program that includes scouting, historical information related to pesticide use and crop rotation and considers cultural, biological and other chemical control practices.
- Monitor treated fungal populations for resistance development.
- If disease continues to progress after treatment with this product, do not increase the use rate. Discontinue use of this product, and switch to another fungicide with a different target site of action, if available.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for specific crops and pathogens.

For further information and to report suspected resistance, contact Bayer CropScience representatives at 1--888-283-6847 or at www.bayercropscience.ca.

Section 9: Application Precautions and Re-entry Restrictions

APPLICATION PRECAUTIONS:

- Although **PREVICUR[®] N Fungicide** has been used on a wide range of crops without crop injury it is recommended that a few plants be test treated before widespread use.
- Occasional slight damage may occur following overhead drenching of recently planted seedlings. The effect is usually short-lived, but with this type of application it is advisable to wash off the **PREVICUR[®] N Fungicide** solution with pure water after application.
- DO NOT make more than 4 applications of **PREVICUR[®] N Fungicide** in a single growing season.
- DO NOT apply within 2 days of harvest for greenhouse cucumbers or 5 days of harvest for greenhouse tomatoes and greenhouse peppers.
- It is a violation of the Pest Control Products Act to use this product in a manner inconsistent with its labelling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- DO NOT allow spray mixture to remain in the tank overnight.

Re-Entry Restrictions

- DO NOT re-enter treated areas within 12 hours of application

Section 10: Mixing Instructions

- Add one-half of the required amount of water to the spray or mixing tank and start agitation.
- Add the required quantity of PREVICUR N Fungicide to the water and complete filling with water to the required total volume.
- Agitate thoroughly and spray out immediately.

Note: Undiluted PREVICUR N is corrosive to all metals except stainless steel. Rinse all metal application equipment thoroughly after use.

Section 11: Notices

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FOR MORE INFORMATION CONTACT:

Bayer CropScience Canada Inc.*

~~#100-3131-114th Avenue S.E.~~

~~Calgary, AB, T2Z 3X2~~

Telephone: 1-888-283-6847

Suite 200, 160 Quarry Park Blvd. S.E.

Calgary, Alberta T2C 3G3

Notification Change

*Bayer Environmental Science
A Business Group of Bayer CropScience

PREVICUR N trademark applied for.

082608

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.