

03-OCT-2007

CSI

29-OCT-2009 2009-3633 : Notification : Change in Registrant

ACQ-C2 EU

COMPONENT FOR WOOD PRESERVATIVE ACQ

FOR USE ONLY AS A HEAVY DUTY WOOD PRESERVATIVE IN THE TREATMENT OF NON-INDUSTRIAL WOOD PRODUCTS SUCH AS DECKS, PATIOS, FENCING, PLAY STUCTURES, BOARDWALKS, PICNIC TABLES, LANDSCAPING TIMBERS, RESIDENTIAL FENCING, DOCKS AND WALKWAYS.

COMMERCIAL

GUARANTEE:

Copper, present as mixed copper ethanolamine complexes 9.0%

DANGER



POISON

**CORROSIVE
TO EYES AND SKIN**



POTENTIAL SKIN SENSITIZER

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

READ THE LABEL BEFORE USING

REGISTRATION NO.:
28635 PEST CONTROL PRODUCTS ACT

NET CONTENTS: _____(kg) _____(lbs)

Notification Change

~~Chemical Specialties, Inc.
One Woodlawn Green, Suite 350
200 E. Woodlawn Road~~

Viance LLC
Suite 350
200 East Woodlawn Road
Charlotte, NC 28217 USA

Charlotte, NC 28217

USA

704-455-5181

USE LIMITATIONS:

The use of ACQ-C2 EU mixed with Carboquat WP-50 is for the preservation of wood against fungal decay. Treated wood is not to be used in contact with foodstuffs such as edible plants or for construction of food holding containers, food storage facilities or food growing buildings, e.g., mushroom houses.

Treated sawdust, shavings and residues of the treatment process should not come in contact with livestock or be used as bedding or litter.

For use as a heavy duty wood preservative in the treatment of non-industrial wood for above ground and ground contact in the following categories: Residential construction such as decks, patios, fencing, lattice panels, deck accessories, play structures, siding, plywood, sill plate, and/or Recreational applications such as walkways, boardwalks, landscaping, docks, gazebos, and/or General Construction and commercial applications such as dimensional lumber, structural timbers, posts, decking, and/or Agriculture and Horticulture applications such as fencing, framing and building poles.

Do not use to treat wood used in critical infrastructures such as bridges, utility poles, pilings, railway ties, foundations, etc. DO NOT apply this product to wood that will be used in water.

Do not burn treated wood.

For further information on storage, handling, and disposal of treated wood, contact the manufacturer of this product or the provincial regulatory agency.

DIRECTIONS FOR USE:

The contents are for use in closed vacuum-pressure treatment systems for wood products. Place the wood to be treated into the pressure cylinder and seal unit. Tank mix ACQ-C2 EU, CARBOQUAT WP-50 (Reg. No. 28633) and water to produce a 0.5 - 3.4% active solution. The Solution Mixing Table for ACQ-C2 EU and CARBOQUAT WP-50 is to be used when tank mixing the preservatives to ensure the correct ratio of the actives (2 CuO: 1 Carboquat). The treatment solution should be checked periodically and adjusted if necessary to ensure that the ratio of the two preservative components is maintained. Treat the wood using the pressure treatment procedures consistent with the equipment being used and standard treatment practices. Treatment conditions must be calibrated to yield the retention levels found in the following table:

End Use	Target Retention ACQ-CU EU + Carboquat WP-50 (kg/m ³)
Above Ground- Non-structural	4.0
Above Ground- Structural	6.4
Ground Contact	6.4

Following treatment, the wood shall be placed on a roofed drip pad or containment area to allow drippage to be collected and returned to the treatment tanks. Thereafter, conditions should be provided whereby the wood can undergo stabilization. The wood must not be removed from the containment pad or storage area until dripping has stopped.

Observation of the wood should be made to detect the presence of any visible surface residues. Any surface residues must be removed prior to the wood being shipped.

STORAGE:

DO NOT USE OR STORE CONCENTRATE NEAR HEAT OR OPEN FLAME.
DO NOT USE IN CONTACT WITH BRASS, BRONZE OR COPPER.

PRECAUTIONS:

HARMFUL IF SWALLOWED. MAY BE FATAL IF INHALED. CORROSIVE TO EYES AND SKIN. Causes irreversible eye damage and severe skin burns. Potential skin sensitizer. DO NOT get on skin, eyes, or clothing. Wear full-face protection, chemical-resistant coveralls over a long sleeved shirt and long pants, chemical resistant gloves, socks and chemical-resistant footwear when handling the concentrate or dilute solution, when opening treating cylinder doors and during cleaning, maintenance and repair activities on storage vessels or treating cylinders. In addition, wear either a respirator with a NIOSH/MSHA/ BHSE approved organic-vapour-removing cartridge with a prefilter approved for pesticides OR a NIOSH/MSHA/BHSE approved canister approved for pesticides when handling the concentrate, when handling the dilute solution if the area is not well ventilated, when opening treating cylinder doors and during cleaning, maintenance and repair activities on storage vessels or treating cylinders. Wear chemical-resistant coveralls over a long sleeved shirt and long pants, goggles or face shield and chemical-resistant gloves when handling freshly treated wood.

FIRST AID:

IF SWALLOWED Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN/CLOTHING Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF INHALED Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

GENERAL Never give anything by mouth to an unconscious person. Remove person to a safe and uncontaminated area. Seek medical attention immediately if irritation persists or is severe. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARD:

TOXIC to aquatic organisms.

DO NOT discharge effluents containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

Do not contaminate bodies of water or surrounding area through direct disposal, cleaning of equipment or runoff water from the treatment and storage yards. Open dumping is prohibited.

DO NOT contaminate aquatic habitats by cleaning of equipment or disposal of wastes.

DO NOT expose treated lumber to rain immediately after treatment.

DO NOT float treated lumber in lakes, rivers, streams, or oceans.

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the manufacturer or provincial regulatory agency.
Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Solution strength % active	Component balance Active Basis %		To mix 10,000 litres of treating solution, combine the following components (all quantities in litres)		
	CuO	Quat	ACQ-C2 EU	Carboquat WP-50	Water
0.50	0.333	0.167	253	40	9707
0.55	0.367	0.183	278	44	9678
0.60	0.400	0.200	303	48	9648
0.65	0.433	0.217	329	52	9619
0.70	0.467	0.233	354	56	9590
0.75	0.500	0.250	379	60	9560
0.80	0.533	0.267	404	64	9531
0.85	0.567	0.283	430	68	9502
0.90	0.600	0.300	455	72	9473
0.95	0.633	0.317	480	76	9443
1.00	0.667	0.333	506	80	9414
1.10	0.733	0.367	556	88	9355

1.20	0.800	0.400	607	96	9297
1.30	0.867	0.433	657	105	9238
1.40	0.933	0.467	708	113	9180
1.50	1.000	0.500	758	121	9121
1.60	1.067	0.533	809	129	9062
1.70	1.133	0.567	860	137	9004
1.80	1.200	0.600	910	145	8945
1.90	1.267	0.633	961	153	8887
2.00	1.333	0.667	1011	161	8828
2.10	1.400	0.700	1062	169	8769
2.20	1.467	0.733	1112	177	8711
2.30	1.533	0.767	1163	185	8652
2.40	1.600	0.800	1213	193	8594
2.50	1.667	0.833	1264	201	8535
2.60	1.733	0.867	1315	209	8476
2.70	1.800	0.900	1365	217	8418
2.80	1.867	0.933	1416	225	8359
2.90	1.933	0.967	1466	233	8301
3.00	2.000	1.000	1517	241	8242
3.10	2.067	1.033	1567	249	8183
3.20	2.133	1.067	1618	257	8125
3.30	2.200	1.100	1669	265	8066
3.40	2.267	1.133	1719	273	8008

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.