

FOR EMERGENCY USE ONLY

For sale and use in Ontario and Québec for management of emerald ash borer in ash trees until August 31, 2010.

TREEAZIN SYSTEMIC INSECTICIDE
A solution containing azadirachtin for tree injections

Commercial

Registration number: 28929 Pest Control Products Act

BioForest Technologies Inc.
105 Bruce St.
Sault Ste. Marie, ON
P6A 2X6

KEEP OUT OF THE REACH OF CHILDREN

READ THIS LABEL BEFORE USING

Net contents: 1 or 2 litre

Guarantee: Azadirachtin.....50 grams per litre (5% by weight or volume)

POTENTIAL SKIN SENSITIZER

IRRITANT TO EYES AND SKIN.

CAUTION

POISON

DIRECTIONS FOR USE

This formulation is to be used only with the EcoJect^(R) System for tree injections against emerald ash borer (*Agrilus planipennis* Fairmaire) in ash (*Fraxinus*) trees.

The maximum application rate is 5 mL TreeAzin per centimeter diameter of the tree at breast height (dbh). Apply TreeAzin (undiluted) using the EcoJect® System. Apply into drilled holes every 15 cm of tree circumference at a height between 15 cm and 30 cm above ground level on the trunk of each tree. One application per tree between May 15 and August 31, 2010.

Inject 2 mL TreeAzin per cm dbh when being used as a prophylactic or early therapeutic treatment in trees up to about 30 cm dbh. In larger trees or heavily attacked trees, inject up to 5 mL per cm dbh. Seal drilled holes after treatment.

DO NOT apply by air.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PRECAUTIONS

Potential skin sensitizer

Harmful if swallowed or absorbed through skin. Do not swallow.

May irritate eyes and skin. Avoid contact to the eyes and skin or on clothing.

Practice good personal hygiene. At all times when handling TreeAzin plan events in such a way as to minimize personal exposure. Locate wash stations with an adequate supply of fresh water on work vehicles. Wash thoroughly with soap and water after handling and before eating or smoking. Bathe or take a hot shower using plenty of soap after working with TreeAzin.

Wear long-sleeved shirt and long pants, or coveralls over short sleeves and short pants, chemical-resistant gloves and goggles or a face shield during handling, loading, application, removal, clean-up and repair of product and injection equipment. Entry to treated areas by bystanders is restricted until all insecticide is injected into the trees and drilled holes are sealed.

Physical and Chemical Hazards

Flammable. Do not use or store near heat or open flame.

STORAGE

Keep in original container until use. Check any plastics for compatibility. Store in a cool, dry place, away from direct sunlight. To prevent contamination, store this product away from food or feed. Keep container tightly sealed when not in use. Do not store below 5 degrees Celsius or above 40 degrees Celsius. Shake well before using.

DISPOSAL

DO NOT reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Dispose of the rinsings in accordance with provincial requirements.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID

IF SWALLOWED	Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF ON SKIN/CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.

TOXICOLOGICAL INFORMATION

No specific antidote. Employ supportive care. Treatment should be based on judgment of the physician in response to reactions of the patient.

ENVIRONMENTAL HAZARDS

Toxic to aquatic organisms.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.