

2007-6360
18-JAN-2008

10-DEC-2009 2009-4949 Notification : Change in Address

Bayer Cropscience Inc.

Acclaim® SUPER EC

FOR SELECTIVE CONTROL OF ANNUAL GRASSES IN TURFGRASSES

**COMMERCIAL
MUST BE APPLIED BY LICENSED APPLICATORS ONLY**



WARNING - EYE AND SKIN IRRITANT

GUARANTEE: fenoxaprop-p-ethyl 80.5 g/L
Warning, contains the allergen soy.

REGISTRATION NO.: 22886
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

1L

Notification Change

Bayer Cropscience Inc.
Suite 100
~~3131 114th Ave. S.E.~~
Calgary, AB T2Z 3X2

Suite 200
160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

DIRECTIONS FOR USE

GENERAL INFORMATION:

ACCLAIM SUPER is a specially formulated herbicide for the selective, post-emergence control of annual grassy weeds in several established turfgrass species. ACCLAIM SUPER does not control broadleaf plants and is not injurious to ornamental plants, trees and shrubs.

ACCLAIM SUPER may be applied to all cultivars of the following turfgrass species:

- Seedling and mature perennial ryegrass.
- Seedling and mature Fine Fescue.
- Kentucky bluegrass established a minimum of nine calendar months.

Note:

ACCLAIM SUPER applied to Kentucky bluegrass, established 9-12 months, may result in suppression of growth and a lightening of the turf species. These symptoms will be rapidly outgrown.

DO NOT APPLY ACCLAIM SUPER TO BENTGRASS OR SEEDLING KENTUCKY BLUEGRASS.

Since ACCLAIM SUPER is absorbed primarily through the foliage, and, translocation occurs from leaf tips to the growing point, thorough coverage is essential. Visual injury to the grassy weed is evident 5-10 days after treatment (depending on environmental conditions) with complete control taking 14-21 days. Visible effects begin with general chlorosis and purpling of the leaf surface, followed by death of the weed.

SUSCEPTIBLE WEEDS:

Smooth and Hairy Crabgrass, Green Foxtail and Yellow Foxtail, Barnyard Grass and Witch Grass.

TIME AND RATE OF APPLICATION:

Apply ACCLAIM SUPER when the grassy weeds are present and actively growing. For best results, apply ACCLAIM SUPER to grassy weeds in the 1-4 leaf plus 3 tiller stage. Multi-tillered or heading grassy weeds may be sprayed, and, providing adequate coverage is attained, good efficacy will result. Heavy monostands of mature or maturing annual grassy weeds may require a second application 21 days after the first application to achieve complete control. Second applications may cause an initial slight reduction in turf vigour.

Application stages

[LEAF AND TILLER DIAGRAM]

1 2 3 4 1 2 3 4
leaf leaves leaves leaves tiller tillers tillers tillers

Optimum ACCLAIM SUPER Application

ACCLAIM SUPER may be applied. Ensure adequate coverage.

WEEDS CONTROLLED	RATE OF APPLICATION	TIME OF APPLICATION	COMMENTS
S m o o t h crabgrass Hairy crabgrass Foxtail species Witch Grass Barnyard Grass	11.4 mL/100 sq meters	1 leaf-4 leaf plus 3 tillers and multi-tillered to heading. Second application to mature monostands	Ensure adequate coverage In heavy monostands a second application may be made a minimum of 21 days after the first application.

Note:

ACCLAIM SUPER has no soil activity. Annual grassy weeds germinating after ACCLAIM SUPER application will require a second application. This should not occur before 21 days has elapsed since the first application.

METHOD OF APPLICATION:

Best results are achieved with flat fan nozzles which produce fine droplet sizes and ensure good coverage.

COMPLETE TARGET COVERAGE IS ESSENTIAL FOR COMPLETE CONTROL.

DO NOT APPLY ACCLAIM SUPER BY AIRCRAFT

ACCLAIM SUPER must be applied by licensed applicators only.

Application with flat fan nozzles should be made in 400 to 800 litres of water per hectare, or 4 to 8 litres of water per 100 square meters at a pressure of 140 to 275 kPa. For best results, ensure thorough coverage.

For applications made with a hand held pump sprayer, add 3 mL of product to 1-4 litres of water and cover an area of 24 square meters.

Applications with pressurized hydraulic spray systems using a hand held gun or wand should be made in 800 litres of water per hectare, or 8 litres of water per 100 square metres at a pressure of 200 to 400 kPa.

Apply when weeds are actively growing. DO NOT apply if rain is expected within three (3) hours of application. DO NOT water or irrigate for three (3) hours after application.

MOWING INFORMATION:

ACCLAIM SUPER is a systemic herbicide. For optimum activity, spray when maximum leaf area is present. Leaf clippings interfere with thorough spray coverage of the target weeds. DO NOT CUT GRASS FOR 4 DAYS BEFORE OR AFTER APPLICATION.

CAUTION:

DO NOT spray during periods where grassy weeds are under drought stress and visibly wilted, as poor control will result.

CAUTION:

DO NOT tank mix ACCLAIM SUPER with any other herbicide or other pesticide.

CAUTION:

Start with a clean spray tank. Clean the spraying system with household ammonia before mixing and spraying ACCLAIM SUPER.

CAUTION:

DO NOT spray a broadleaf herbicide on a turf species 7 days prior to, or 7 days after an ACCLAIM SUPER application.

CAUTION:

TOXIC TO FISH: Do not apply within 15 metres of a body of water or wetland area. Do not contaminate water supply, ponds, lakes, rivers, streams and irrigation ditches by direct application, spray drift or when cleaning and rinsing spray equipment or containers.

TANK MIXES WITH WATER SOLUBLE FERTILIZER:

ACCLAIM SUPER may be tank mixed and applied with water soluble turf fertilizers such as 16-2-6, 20-0-7, 35-5-10. Consult the turf fertilizer label for correct fertilizer rate.

When mixing ACCLAIM SUPER with a turf fertilizer, ensure that the fertilizer is added first to the spray tank. The fertilizer should be totally dissolved PRIOR to adding the ACCLAIM SUPER Herbicide. To ensure adequate mixing, agitate the solution.

Apply this mix in 8 litres per 100 square meters. If applied in conditions of stress, this mix may result in a slight reduction of overall grassy weed control.

STORAGE:

CANNOT BE STORED BELOW FREEZING. If stored for one year or longer, shake vigorously before using. Store the tightly closed container away from feeds, seeds, fertilizer, plants and foodstuffs. Keep in original container during storage.

WASTE DISPOSAL:

Empty containers should be triple rinsed into the spray tank prior to the spray operation. The spray solution should be sprayed out over adjacent land, NOT OVER AREA JUST SPRAYED, away from water supplies, ditches and irrigation canals.

CONTAINER DISPOSAL:

1. Triple rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. MAY CAUSE EYE DAMAGE. CAUSES EYE AND SKIN IRRITATION. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. AVOID BREATHING SPRAY MIST. PROTECTIVE EYE EQUIPMENT MUST BE WORN. TO MINIMIZE EXPOSURE, THE FOLLOWING PRECAUTIONS SHOULD BE FOLLOWED WHEN USING ACCLAIM SUPER:

- Wear protective clothing such as coveralls, a long-sleeved shirt and chemical-resistant rubber gloves, and goggles or face shield.

C Change contaminated clothing daily and wash before reuse.

C DO NOT handle product with bare hands. Chemical-resistant rubber gloves significantly reduce hand exposure. It is important to wear gloves for mixing/loading operations and when making sprayer and nozzle repairs and adjustments. DO NOT USE LEATHER OR CLOTH GLOVES.

C Rinse gloves with soap and water before removal and wash hands thoroughly before eating, smoking or drinking.

Avoid spray drift onto susceptible plants and USE ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED RATES. Keep people and pets off treated area for at least 24 hours or until foliage is dry.

FIRST AID:

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

In case of skin or clothing contact, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If splashed in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION:

Medical Personnel should contact Bayer's medical information services, toll-free: 1-800-334-7577. This product contains PETROLEUM DISTILLATES.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FOR MORE INFORMATION CONTACT:

Bayer Cropscience Inc.
~~Suite 100~~
~~3131-114th Ave. S.E.~~
~~Calgary, AB T2Z 3X2~~

Suite 200
160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

and Acclaim are trademarks of .

Bayer Cropscience Inc.

ACCLAIM (R) SUPER EC

**FOR SELECTIVE CONTROL OF ANNUAL GRASSES IN TURFGRASSES
COMMERCIAL
MUST BE APPLIED BY LICENSED APPLICATORS ONLY**



WARNING - EYE AND SKIN IRRITANT

GUARANTEE: fenoxaprop-p-ethyl 80.5 g/L
Warning, contains the allergen soy.

REGISTRATION NO.: 22886
PEST CONTROL PRODUCTS ACT

Bayer Cropscience Inc.
~~Suite 100~~
~~3131-114th Ave. S.E.~~
~~Calgary, AB T2Z 3X2~~

Suite 200
160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

Notification Change

**READ THE LABEL AND ATTACHED
DIRECTIONS FOR USE BEFORE USING.**

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. MAY CAUSE EYE DAMAGE. CAUSES EYE AND SKIN IRRITATION. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. AVOID BREATHING SPRAY MIST. PROTECTIVE EYE EQUIPMENT MUST BE WORN. TO MINIMIZE EXPOSURE, THE FOLLOWING PRECAUTIONS SHOULD BE FOLLOWED WHEN USING ACCLAIM SUPER:

- Wear protective clothing such as coveralls, a long-sleeved shirt and chemical-resistant rubber gloves, and goggles or face shield. Change contaminated clothing daily and wash before reuse.
- DO NOT handle product with bare hands. Chemical-resistant rubber gloves significantly reduce hand exposure. It is important to wear gloves for mixing/loading operations and when making sprayer and nozzle repairs and adjustments. DO NOT USE LEATHER OR CLOTH GLOVES.
- Rinse gloves with soap and water before removal and wash hands thoroughly before eating, smoking or drinking.

Avoid spray drift onto susceptible plants and USE ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED RATES. Keep people and pets off treated area for at least 24 hours or until foliage is dry.

This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment.

CAUTION:

TOXIC TO FISH: Do not apply within 15 metres of a body of water or wetland area. Do not contaminate water supply, ponds, lakes, rivers, streams and irrigation ditches by direct application, spray drift or when cleaning and rinsing spray equipment or containers.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

In case of skin or clothing contact, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If splashed in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Medical personnel should contact Bayer's medical information services, toll-free: 1-800-334-7577. This product contains **PETROLEUM DISTILLATES.**

STORAGE:

CANNOT BE STORED BELOW FREEZING. If stored for one year or longer, shake vigorously before using. Store the tightly closed container away from feeds, seeds, fertilizer, plants and foodstuffs. Keep in original container during storage.

CONTAINER DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spraymixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

and ACCLAIM are trademarks of the Aventis Group.

Bayer Cropscience Inc.

Acclaim® SUPER EC

FOR SELECTIVE CONTROL OF ANNUAL GRASSES IN TURFGRASSES

COMMERCIAL

MUST BE APPLIED BY LICENSED APPLICATORS ONLY



WARNING - EYE AND SKIN IRRITANT

GUARANTEE: fenoxaprop-p-ethyl 80.5 g/L

Warning, contains the allergen soy.

REGISTRATION NO.: 22886

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

1L

Notification Change

Bayer Cropscience Inc.
Suite 100
3131-114th Ave. S.E.
Calgary, AB T2Z 3X2

Suite 200
160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

DIRECTIONS FOR USE

GENERAL INFORMATION:

ACCLAIM SUPER is a specially formulated herbicide for the selective, post-emergence control of annual grassy weeds in several established turfgrass species. ACCLAIM SUPER does not control broadleaf plants and is not injurious to ornamental plants, trees and shrubs.

ACCLAIM SUPER may be applied to all cultivars of the following turfgrass species:

- Seedling and mature perennial ryegrass.
- Seedling and mature Fine Fescue.
- Kentucky bluegrass established a minimum of nine calendar months.

Note:

ACCLAIM SUPER applied to Kentucky bluegrass, established 9-12 months, may result in suppression of growth and a lightening of the turf species. These symptoms will be rapidly outgrown.

DO NOT APPLY ACCLAIM SUPER TO BENTGRASS OR SEEDLING KENTUCKY BLUEGRASS.

Since ACCLAIM SUPER is absorbed primarily through the foliage, and, translocation occurs from leaf tips to the growing point, thorough coverage is essential. Visual injury to the grassy weed is evident 5-10 days after treatment (depending on environmental conditions) with complete control taking 14-21 days. Visible effects begin with general chlorosis and purpling of the leaf surface, followed by death of the weed.

SUSCEPTIBLE WEEDS:

Smooth and Hairy Crabgrass, Green Foxtail and Yellow Foxtail, Barnyard Grass and Witch Grass.

TIME AND RATE OF APPLICATION:

Apply ACCLAIM SUPER when the grassy weeds are present and actively growing. For best results, apply ACCLAIM SUPER to grassy weeds in the 1-4 leaf plus 3 tiller stage. Multi-tillered or heading grassy weeds may be sprayed, and, providing adequate coverage is attained, good efficacy will result. Heavy monostands of mature or maturing annual grassy weeds may require a second application 21 days after the first application to achieve complete control. Second applications may cause an initial slight reduction in turf vigour.

Application stages

[LEAF AND TILLER DIAGRAM]

1 2 3 4 1 2 3 4
leaf leaves leaves leaves tiller tillers tillers tillers

Optimum ACCLAIM SUPER Application

ACCLAIM SUPER may be applied. Ensure adequate coverage.

WEEDS CONTROLLED	RATE OF APPLICATION	TIME OF APPLICATION	COMMENTS
S m o o t h crabgrass Hairy crabgrass Foxtail species Witch Grass Barnyard Grass	11.4 mL/100 sq meters	1 leaf-4 leaf plus 3 tillers and multi-tillered to heading. Second application to mature monostands	Ensure adequate coverage In heavy monostands a second application may be made a minimum of 21 days after the first application.

Note:

ACCLAIM SUPER has no soil activity. Annual grassy weeds germinating after ACCLAIM SUPER application will require a second application. This should not occur before 21 days has elapsed since the first application.

METHOD OF APPLICATION:

Best results are achieved with flat fan nozzles which produce fine droplet sizes and ensure good coverage.

COMPLETE TARGET COVERAGE IS ESSENTIAL FOR COMPLETE CONTROL.

DO NOT APPLY ACCLAIM SUPER BY AIRCRAFT

ACCLAIM SUPER must be applied by licensed applicators only.

Application with flat fan nozzles should be made in 400 to 800 litres of water per hectare, or 4 to 8 litres of water per 100 square meters at a pressure of 140 to 275 kPa. For best results, ensure thorough coverage.

For applications made with a hand held pump sprayer, add 3 mL of product to 1-4 litres of water and cover an area of 24 square meters.

Applications with pressurized hydraulic spray systems using a hand held gun or wand should be made in 800 litres of water per hectare, or 8 litres of water per 100 square metres at a pressure of 200 to 400 kPa.

Apply when weeds are actively growing. DO NOT apply if rain is expected within three (3) hours of application. DO NOT water or irrigate for three (3) hours after application.

MOWING INFORMATION:

ACCLAIM SUPER is a systemic herbicide. For optimum activity, spray when maximum leaf area is present. Leaf clippings interfere with thorough spray coverage of the target weeds. DO NOT CUT GRASS FOR 4 DAYS BEFORE OR AFTER APPLICATION.

CAUTION:

DO NOT spray during periods where grassy weeds are under drought stress and visibly wilted, as poor control will result.

CAUTION:

DO NOT tank mix ACCLAIM SUPER with any other herbicide or other pesticide.

CAUTION:

Start with a clean spray tank. Clean the spraying system with household ammonia before mixing and spraying ACCLAIM SUPER.

CAUTION:

DO NOT spray a broadleaf herbicide on a turf species 7 days prior to, or 7 days after an ACCLAIM SUPER application.

CAUTION:

TOXIC TO FISH: Do not apply within 15 metres of a body of water or wetland area. Do not contaminate water supply, ponds, lakes, rivers, streams and irrigation ditches by direct application, spray drift or when cleaning and rinsing spray equipment or containers.

TANK MIXES WITH WATER SOLUBLE FERTILIZER:

ACCLAIM SUPER may be tank mixed and applied with water soluble turf fertilizers such as 16-2-6, 20-0-7, 35-5-10. Consult the turf fertilizer label for correct fertilizer rate.

When mixing ACCLAIM SUPER with a turf fertilizer, ensure that the fertilizer is added first to the spray tank. The fertilizer should be totally dissolved PRIOR to adding the ACCLAIM SUPER Herbicide. To ensure adequate mixing, agitate the solution.

Apply this mix in 8 litres per 100 square meters. If applied in conditions of stress, this mix may result in a slight reduction of overall grassy weed control.

STORAGE:

CANNOT BE STORED BELOW FREEZING. If stored for one year or longer, shake vigorously before using. Store the tightly closed container away from feeds, seeds, fertilizer, plants and foodstuffs. Keep in original container during storage.

WASTE DISPOSAL:

Empty containers should be triple rinsed into the spray tank prior to the spray operation. The spray solution should be sprayed out over adjacent land, NOT OVER AREA JUST SPRAYED, away from water supplies, ditches and irrigation canals.

CONTAINER DISPOSAL:

1. Triple rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. MAY CAUSE EYE DAMAGE. CAUSES EYE AND SKIN IRRITATION. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. AVOID BREATHING SPRAY MIST. PROTECTIVE EYE EQUIPMENT MUST BE WORN. TO MINIMIZE EXPOSURE, THE FOLLOWING PRECAUTIONS SHOULD BE FOLLOWED WHEN USING ACCLAIM SUPER:

- Wear protective clothing such as coveralls, a long-sleeved shirt and chemical-resistant rubber gloves, and goggles or face shield.

C Change contaminated clothing daily and wash before reuse.

C DO NOT handle product with bare hands. Chemical-resistant rubber gloves significantly reduce hand exposure. It is important to wear gloves for mixing/loading operations and when making sprayer and nozzle repairs and adjustments. DO NOT USE LEATHER OR CLOTH GLOVES.

C Rinse gloves with soap and water before removal and wash hands thoroughly before eating, smoking or drinking.

Avoid spray drift onto susceptible plants and USE ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED RATES. Keep people and pets off treated area for at least 24 hours or until foliage is dry.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

In case of skin or clothing contact, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If splashed in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Medical Personnel should contact Aventis' medical information services, toll-free: 1-800-334-7577. This product contains PETROLEUM DISTILLATES.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FOR MORE INFORMATION CONTACT:

Bayer Cropscience Inc.
~~Suite 100~~
~~3131-114th Ave. S.E.~~
~~Calgary, AB T2Z 3X2~~

Suite 200
160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

Notification Change

and Acclaim are trademarks of

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.