

Container label

Nippon Soda

Acetamiprid RTU Insecticide

Solution

Contains Acetamiprid

DOMESTIC

GUARANTEE: Acetamiprid.....0.006%
Contains 1,2-benzisothiazolin-3-one at 0.0096% as a preservative

READ THE LABEL AND BOOKLET BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REG. NO. 27126 P.C.P. ACT

Nippon Soda Co., Ltd.
2-1, 2-Chome Ohtemachi
Chiyoda-ku, Tokyo 100-8165,
Japan

Agent: David Latter
D. W. Latter and Associates
44 Tamarack Circle
Toronto, ON M9P 3T9
416 614-6769

FOR MEDICAL EMERGENCIES AND TRANSPORTATION EMERGENCIES SUCH AS SPILLS,
LEAKS OR FIRES, CALL 1-800 424-9300 (24 HOURS).

NET CONTENTS: 150 mL-1 LITRE

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Harmful if inhaled, swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin or clothing. Keep out of reach of domestic animals. Users of this product must wear long-sleeved shirt, long pants, shoes and socks. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DO NOT apply to any body of water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

ENVIRONMENTAL HAZARDS:

TOXIC to aquatic organisms and non-target terrestrial plants.

TOXIC to bees exposed to direct treatment, drift, or residues on flowering crops or weeds.

DO NOT apply this product to flowering crops or weeds if bees are visiting the treatment area. Minimize spray drift to reduce harmful effects on bees in habitats close to the application site.

Avoid application of this product when winds are gusty.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

There is no specific antidote. All treatment should be based on observed signs and symptoms of distress in the patient.

STORAGE CONDITIONS:

Store unused product in a cool, ventilated, dry, locked area. Do not allow prolonged storage in areas where temperatures frequently exceed 46°C (115°F). Never transfer this product to another container for storage. To prevent contamination store this product away from food or feed.

DISPOSAL:

DO NOT reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Nippon Soda

Acetamiprid RTU Insecticide

Solution

Contains Acetamiprid

DOMESTIC

GUARANTEE: Acetamiprid.....0.006%
Contains 1,2-benzisothiazolin-3-one at 0.0096% as a preservative

READ THE LABEL AND BOOKLET BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REG. NO. 27126 P.C.P. ACT

Nippon Soda Co., Ltd.
2-1, 2-Chome Ohtemachi
Chiyoda-ku, Tokyo 100-8165,
Japan

Agent: David Latter
D. W. Latter and Associates
44 Tamarack Circle
Toronto, ON M9P 3T9
416 614-6769

FOR MEDICAL EMERGENCIES AND TRANSPORTATION EMERGENCIES SUCH AS SPILLS,
LEAKS OR FIRES, CALL 1-800 424-9300 (24 HOURS).

NET CONTENTS: 150 mL-1 LITRE

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Harmful if inhaled, swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin or clothing. Keep out of reach of domestic animals. Users of this product must wear long-sleeved shirt, long pants, shoes and socks. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DO NOT apply to any body of water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

ENVIRONMENTAL HAZARDS:

TOXIC to aquatic organisms and non-target terrestrial plants.

TOXIC to bees exposed to direct treatment, drift, or residues on flowering crops or weeds.

DO NOT apply this product to flowering crops or weeds if bees are visiting the treatment area. Minimize spray drift to reduce harmful effects on bees in habitats close to the application site.

Avoid application of this product when winds are gusty.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

There is no specific antidote. All treatment should be based on observed signs and symptoms of distress in the patient.

STORAGE CONDITIONS:

Store unused product in a cool, ventilated, dry, locked area. Do not allow prolonged storage in areas where temperatures frequently exceed 46°C (115°F). Never transfer this product to another container for storage. To prevent contamination store this product away from food or feed.

DISPOSAL:

DO NOT reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

GENERAL INFORMATION:

For outdoor use only. Do not apply indoors.

Apply to outdoor plants when insect problems are noticed. Do not apply this product in a way that the spray will contact persons, either directly or through drift. Keep children and pets out of treated areas until sprays have thoroughly dried.

Shake container gently before using. Hold sprayer 20 to 30 cm (8 to 12 inches) from the area to be treated. Spray only until surface is wet. Thoroughly cover leaf surfaces since some pests may be found on the undersides of the leaves.

Do not apply if wind speed exceeds 16 kph (10 mph). Always stand “up wind” when applying this product.

DIRECTIONS FOR USE:

FLOWERS AND ORNAMENTAL PLANTS

APPLICATION SITE	INSECTS CONTROLLED	SPECIFIC USE DIRECTIONS
FLOWERS AND ORNAMENTAL PLANTS	Aphids European pine sawfly Leafhoppers Whiteflies Tentiform leafminer	Direct spray toward the upper and lower leaf surfaces and stems where pests appear. Apply as soon as insect problems are noticed.

RESTRICTIONS AND PRECAUTIONS: Flowers and Ornamental Plants

- Do not make more than 5 applications per season.
- Do not apply more than once every 7 days.

CROP GROUP 4: LEAFY VEGETABLES (except Brassica) GROUP

APPLICATION SITE	INSECTS CONTROLLED	SPECIFIC USE DIRECTIONS
LEAFY VEGETABLES Amaranth leafy, Arugula, Cardoon, Celery, Celery (Chinese), Celtuce, Chervil, Chrysanthemum (edible leaved), Chrysanthemum (garland), Corn Salad, Cress (garden), Cress (upland), Dandelion leaves, Dock, Endive, Florence Fennel, Lettuce (head and leaf), Orach, Parsley leaves, Purslane (garden), Purslane (winter), Radicchio, Rhubarb, Spinach, Spinach (vine), Spinach (New Zealand), Swiss Chard	Aphids	Direct spray toward the upper and lower leaf surfaces and stems where pests appear. Apply as soon as insect problems are noticed.

RESTRICTIONS AND PRECAUTIONS: Leafy Vegetables

- Do not make more than 5 applications per season.
- Do not apply more than once every 7 days.
- Do not apply less than 7 days before harvest. Observe a 7-day preharvest interval (PHI).

CROP GROUP 5: BRASSICA (COLE) LEAFY VEGETABLES

APPLICATION SITE	INSECTS CONTROLLED	SPECIFIC USE DIRECTIONS
BRASSICA (COLE) CROPS Broccoli, Broccoli (Chinese), Broccoli raab, Brussels Sprouts, Cabbage, Cabbage (Chinese, bok choy), Cabbage (Chinese, napa), Cabbage (Chinese mustard, gai choy), Cauliflower, Cavalo broccolo, Collards, Kale, Kohlrabi, Mizuna, Mustard Greens, Mustard Spinach, Rape Greens	Aphids Whiteflies	Direct spray toward the upper and lower leaf surfaces and stems where pests appear. Apply as soon as insect problems are noticed.

RESTRICTIONS AND PRECAUTIONS: Brassica (Cole) crops

- Do not make more than 5 applications per season.
- Do not apply more than once every 7 days.
- Do not apply less than 7 days before harvest. Observe a 7-day PHI.

FIELD TOMATOES

APPLICATION SITE	INSECTS CONTROLLED	SPECIFIC USE DIRECTIONS
Field Tomato	Aphids Colorado potato beetle Whiteflies	Direct spray toward the upper and lower leaf surfaces and stems where pests appear. Apply as soon as insect problems are noticed.

RESTRICTIONS AND PRECAUTIONS: Field Tomato

- Do not make more than 4 applications per season.
- Do not apply more than once every 7 days.
- Do not apply less than 7 days before harvest. Observe a 7-day PHI.

CROP GROUP II: POME FRUIT GROUP

APPLICATION SITE	INSECTS CONTROLLED	SPECIFIC USE DIRECTIONS
POME FRUITS Apple, Crabapple, Pear, Pear (Oriental), Quince	Aphids Leafhoppers Tentiform leafminer	Direct spray toward the upper and lower leaf surfaces and stems where pests appear. Apply as soon as insect problems are noticed.

RESTRICTIONS AND PRECAUTIONS: Pome Fruits

- Do not make more than 4 applications per season.
- Do not apply more than once every 12 days.
- Do not apply less than 7 days before harvest. Observe a 7-day PHI.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.