



GROUP

U

FUNGICIDE

Bayer Environmental Science

CHIPCO ALIETTE® ORNAMENTAL FUNGICIDE

SYSTEMIC FUNGICIDE FOR USE ON
GREENHOUSE CONTAINER AND FIELD GROWN ORNAMENTALS (INCLUDING
CONIFERS) AND BEDDING PLANTS

For Suppression of Sudden Oak Death caused by *Phytophthora Ramorum* on those ornamentals deemed susceptible to this disease by the Canadian Food Inspection Agency (CFIA). For a complete list of the ornamental species, refer to the publication "List of Plants Regulated for *Phytophthora Ramorum* (Sudden Oak Death)," which is updated regularly.
www.inspection.gc.ca/english/plaveg/protect/dir/sodspe.shtml

COMMERCIAL
WETTABLE GRANULES
GUARANTEE: Fosetyl AL.... 80%
REGISTRATION NUMBER: 27557
PEST CONTROL PRODUCTS ACT



CAUTION

POISON

WARNING: EYE IRRITANT
READ THE LABEL AND ATTACHED BROCHURE BEFORE USING

NET CONTENTS: 2.26 Kg

Notification Change

Bayer CropScience Inc.*
~~Suite 100 - 3131 114th Avenue S.E.~~
~~Calgary, AB T2Z 3X2~~
Telephone: 1 888 283- 6847

Suite 200, 160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

*Bayer Environmental Science
A Business Group of Bayer CropScience

In case of spills, poisoning or fire, telephone emergency response number collect 1-800-334-7577 (24 hours a day).

Bayer  and ALIETTE® are registered trademarks of Bayer Group.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Wear chemical-resistant gloves, long coveralls (with hood) over normal clothes and hat during mixing/loading, application, cleanup and repair activities. Do not re-enter treated area until residues have dried. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash concentrate from skin or eyes immediately. After use, wash hands and other exposed skin. Wash hands and face before eating, drinking, smoking or using the toilet. Store the container tightly closed away from seeds, fertilizer, plants and foodstuffs. Keep away from ponds, streams and other water sources. If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's website at: www.croplife.ca.

FIRST AID:

If In Eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If Swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

No specific antidote. Treat symptomatically.

STORAGE:

Store CHIPCO ALIETTE® Ornamental Fungicide in a dry, ventilated place away from feed, seed or foodstuffs. Unused product should be stored in original container. CHIPCO ALIETTE® Ornamental Fungicide left exposed to the air will absorb moisture over time and become unusable. If the product becomes caked or lumpy, do not use.

CONTAINER DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused or unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is

inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

091808



GROUP

U

FUNGICIDE

Bayer Environmental Science

CHIPCO ALIETTE® ORNAMENTAL FUNGICIDE

SYSTEMIC FUNGICIDE FOR USE ON
GREENHOUSE CONTAINER AND FIELD GROWN ORNAMENTALS (INCLUDING
CONIFERS) AND BEDDING PLANTS

For Suppression of Sudden Oak Death caused by *Phytophthora Ramorum* those ornamentals deemed susceptible to this disease by the Canadian Food Inspection Agency (CFIA). For a complete list of the ornamental species, refer to the publication "List of Plants Regulated for *Phytophthora Ramorum* (Sudden Oak Death)," which is updated regularly.
www.inspection.gc.ca/english/plaveg/protect/dir/sodspe.shtml

COMMERCIAL
WETTABLE GRANULES
GUARANTEE: Fosetyl AL.... 80%
REGISTRATION NUMBER: 27557
PEST CONTROL PRODUCTS ACT



CAUTION

POISON

WARNING: EYE IRRITANT
READ THE LABEL AND ATTACHED BROCHURE BEFORE USING

NET CONTENTS: 2.26 Kg

Bayer CropScience Inc.*
~~Suite 100-3131 114th Avenue S.E.~~
~~Calgary, AB T2Z 3X2~~
Telephone: 1 888 283- 6847

Suite 200, 160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

Notification Change

*Bayer Environmental Science
A Business Group of Bayer CropScience

In case of spills, poisoning or fire, telephone emergency response number collect 1-800-334-7577 (24 hours a day).

Bayer  and ALIETTE® are registered trademarks of Bayer Group.

GENERAL INFORMATION:

CHIPCO ALIETTE® Ornamental Fungicide can be used to control Phytophthora and Pythium. CHIPCO ALIETTE® Ornamental Fungicide is completely systemic. Product applied to leaves will move downwards to the roots. CHIPCO ALIETTE® Ornamental Fungicide is most effective when used as a preventative treatment. Plants displaying early disease symptoms, or when condition for disease is favorable, are most likely to benefit from this treatment.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Wear chemical-resistant gloves, long coveralls over regular clothes and hat during mixing/loading, application, cleanup and repair activities. Do not re-enter treated area until residues have dried. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash concentrate from skin or eyes immediately. After use, wash hands and other exposed skin. Wash hands and face before eating, drinking, smoking or using the toilet. Store the container tightly closed away from seeds, fertilizer, plants and foodstuffs. Keep away from ponds, streams and other water sources. If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's website at: www.croplife.ca.

FIRST AID:

If In Eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If Swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

No specific antidote. Treat symptomatically.

STORAGE:

Store CHIPCO ALIETTE® Ornamental Fungicide in a dry, ventilated place away from feed, seed or foodstuffs. Unused product should be stored in original container. CHIPCO ALIETTE® Ornamental Fungicide left exposed to the air will absorb moisture over time and become unusable. If the product becomes caked or lumpy, do not use.

CONTAINER DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.

5. For information on disposal of unused or unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

RESISTANCE MANAGEMENT RECOMMENDATIONS:

For resistance management, please note that CHIPCO ALIETTE[®] Ornamental Fungicide contains a Group U fungicide. Any fungal population may contain individuals naturally resistant to CHIPCO ALIETTE[®] Ornamental Fungicide and other Group U fungicides. A gradual or total loss of pest control may occur over time if these fungicides are used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay fungicide resistance:

- Where possible, rotate the use of CHIPCO ALIETTE[®] Ornamental Fungicide or other U fungicides with different groups that control the same pathogens.
- Use tank mixtures with fungicide from a different group when such use is permitted.
- Fungicide use should be based on an IPM program that includes scouting, historical information related to pesticide use and crop rotation and considers cultural, biological and other chemical control practices.
- Monitor treated fungal populations for resistance development.
- If disease continues to progress after treatment with this product, do not increase the use rate. Discontinue use of this product, and switch to another fungicide with a different target site of action, if available.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for specific crops and pathogens.
- For further information and to report suspected resistance, contact Bayer CropScience representatives at 1-800-334-7577 or at www.bayercropscience.ca.

DIRECTIONS FOR USE

GREENHOUSE ORNAMENTALS - CONTROL OF PYTHIUM AND PHYTOPHTHORA

(Chinese evergreen (*Aglaonema*), *pothos*, *shefflera*, *spathiphyllum*, *azalea*)

Foliar Applications:

Apply a maximum of 3 applications. Apply at 14-30 day intervals.

Application Rate: Apply at a rate of 2.8 kg product/ha.

DO NOT APPLY BY AIR.

BEDDING PLANTS - CONTROL OF PYTHIUM AND PHYTOPHTHORA

(Begonia, Geranium, Vinca, Celosia, Petunia, Salvia and Impatiens)

Foliar Applications:

Apply a maximum of 3 applications at 14 day intervals

Application Rate: Apply at a rate of 2.8 kg product/ha.

DO NOT APPLY BY AIR.

Drench Applications:

Apply a maximum of 3 applications, one application every 30 days. Apply before disease onset.

Application Rate: Use 360 g product/380 L water to cover 36m²

DO NOT APPLY BY AIR.

DIRECTIONS FOR USE

GREENHOUSE CONTAINER AND FIELD-GROWN ORNAMENTAL PLANTS IN NURSERIES AND LANDSCAPE PLANTINGS AND CONIFERS GROWN IN NURSERIES AND LANDSCAPE PLANTATION

NOTE TO USER: READ THE FOLLOWING BEFORE USING THIS PRODUCT FOR THE INDICATED SPECIAL USE APPLICATIONS:

The DIRECTIONS FOR USE for this product for the use(s) described below were developed by persons other than Bayer CropScience and accepted for registration by Health Canada under the User Requested Minor Use Label Expansion program. Bayer CropScience itself makes no representation or warranty with respect to performance (efficacy) or crop tolerance (phytotoxicity) claims for this product when used on the crop(s) listed below.

Accordingly, the Buyer and User assume all risks related to performance and crop tolerance arising, and agree to hold Bayer CropScience harmless from any claims based on efficacy or phytotoxicity in connection with the use(s) described below.

GREENHOUSE CONTAINER AND FIELD-GROWN ORNAMENTAL PLANTS IN NURSERIES AND LANDSCAPE PLANTINGS AND CONIFERS GROWN IN NURSERIES AND LANDSCAPE PLANTATION

For Suppression of Sudden Oak Death caused by *Phytophthora Ramorum* on those ornamentals deemed susceptible to this disease by the Canadian Food Inspection Agency (CFIA). For a complete list of the ornamental species, refer to the publication "List of Plants Regulated for *Phytophthora Ramorum* (Sudden Oak Death)," which is updated regularly.

www.inspection.gc.ca/english/plaveg/protect/dir/sodspe.shtml

CHIPCO ALIETTE® Ornamental is registered for ground application only as a foliar spray.

Foliar Application:

Apply at 5 kg of product per hectare. Apply in a water volume not greater than 1000 L/ha. Spray to wet. Do not apply to run-off. Maximum of 4 applications per year.

TIMING: Apply when conditions favour disease development (high soil moisture and cool temperatures), before disease onset, and repeat if necessary 2-3 weeks later. Treat when there is sufficient leaf area present to take up the spray; when leaves are actively growing, and at least 30 days prior to leaf drop in deciduous species.

Note: Not all species have been tested for phytotoxicity. It is recommended that the user test a small sample before applying to the entire crop.

091008

EMERGENCY USE LABEL

GROUP U FUNGICIDE

Bayer Environmental Science

**CHIPCO ALIETTE® ORNAMENTAL
FUNGICIDE
WETTABLE GRANULES**

For sale and use in Ontario for Suppression of Sudden Oak Death (*Phytophthora ramorum*) in Greenhouse and Field-Grown Ornamental plants in Nurseries and Landscape Plantings, and Conifers Grown in Nurseries and Landscape Plantations until December 31, 2008

COMMERCIAL

GUARANTEE: Fosetyl AL.... 80%

**REGISTRATION NUMBER: 27557
PEST CONTROL PRODUCTS ACT**



**WARNING: EYE IRRITANT
READ THE LABEL AND ATTACHED BROCHURE BEFORE USING**

NET CONTENTS: 2.26 Kg

Bayer CropScience Inc.*
~~Suite 100-3131 114th Street~~
~~Calgary, AB T2Z 3X2~~
Telephone: 1 888 283- 6847

Suite 200, 160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

Notification Change

*Bayer Environmental Science
A Business Group of Bayer CropScience

In case of spills, poisoning or fire, telephone emergency response number collect 1-800-334-7577 (24 hours a day).

Bayer  and ALIETTE® are registered trademarks of the Bayer Group.

EMERGENCY USE LABEL

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Wear chemical-resistant gloves, long coveralls (with hood) over normal clothes and hat during mixing/loading, application, cleanup and repair activities. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash concentrate from skin or eyes immediately. After use, wash hands and other exposed skin. Wash hands and face before eating, drinking, smoking or using the toilet. Store the container tightly closed away from seeds, fertilizer, plants and foodstuffs. Keep away from ponds, streams and other water sources. If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's Website at www.croplife.ca.

FIRST AID: If In Eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.
If Swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

No specific antidote. Treat symptomatically.

STORAGE: Store CHIPCO ALIETTE® Ornamental in a dry, ventilated place away from feed, seed or foodstuffs. Unused product should be stored in original bag. CHIPCO ALIETTE® Ornamental left exposed to the air will absorb moisture over time and become unusable. If the product becomes caked or lumpy, do not use.

CONTAINER DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused or unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

EMERGENCY USE LABEL

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

033108

EMERGENCY USE LABEL

GROUP	U	FUNGICIDE
--------------	----------	------------------

Bayer Environmental Science

**CHIPCO ALIETTE® ORNAMENTAL
FUNGICIDE
WETTABLE GRANULES**

For sale and use in Ontario for Suppression of Sudden Oak Death (*Phytophthora ramorum*) in Greenhouse and Field-Grown Ornamental plants in Nurseries and Landscape Plantings, and Conifers Grown in Nurseries and Landscape Plantations until December 31, 2008

COMMERCIAL

GUARANTEE: Fosetyl AL.... 80%

**REGISTRATION NUMBER: 27557
PEST CONTROL PRODUCTS ACT**



**WARNING: EYE IRRITANT
READ THE LABEL AND ATTACHED BROCHURE BEFORE USING**

NET CONTENTS: 2.26 Kg


Notification Change

Bayer CropScience Inc.*
~~Suite 100—3131 114th Street~~
Calgary, AB T2Z 3X2
Telephone: 1 888 283- 6847

Suite 200, 160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

*Bayer Environmental Science
A Business Group of Bayer CropScience

In case of spills, poisoning or fire, telephone emergency response number collect 1-800-334-7577 (24 hours a day).

Bayer  and **CHIPCO ALIETTE®** are registered trademarks of Bayer.

EMERGENCY USE LABEL

GENERAL INFORMATION:

CHIPCO ALIETTE[®] Ornamental Systemic Fungicide can be used to control *Phytophthora* and *Pythium* and suppression of *Phytophthora ramorum*. **CHIPCO ALIETTE**[®] Ornamental is completely systemic. Product applied to leaves will move downwards to the roots. **CHIPCO ALIETTE**[®] Ornamental is most effective when used as a preventative treatment. Plants displaying early disease symptoms, or when conditions for disease is favorable, are most likely to benefit from this treatment.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Wear chemical-resistant gloves, long coveralls (with hood) over normal clothes and hat during mixing/loading, application, cleanup and repair activities. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash concentrate from skin or eyes immediately. After use, wash hands and other exposed skin. Wash hands and face before eating, drinking, smoking or using the toilet. Store the container tightly closed away from seeds, fertilizer, plants and foodstuffs. Keep away from ponds, streams and other water sources. If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's website at www.croplife.ca.

FIRST AID:

If In Eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If Swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

No specific antidote. Treat symptomatically.

STORAGE:

Store **CHIPCO ALIETTE**[®] Ornamental in a dry, ventilated place away from feed, seed or foodstuffs. Unused product should be stored in original container. **CHIPCO ALIETTE**[®] Ornamental left exposed to the air will absorb moisture over time and become unusable. If the product becomes caked or lumpy, do not use.

EMERGENCY USE LABEL

CONTAINER DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused or unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

RESISTANCE MANAGEMENT RECOMMENDATIONS:

For resistance management, please note that **CHIPCO ALIETTE[®] Ornamental** contains a Group U fungicide. Any fungal population may contain individuals naturally resistant to **CHIPCO ALIETTE[®] Ornamental** and other Group U fungicides. A gradual or total loss of pest control may occur over time if these fungicides are used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay fungicide resistance:

- Where possible, rotate the use of **CHIPCO ALIETTE[®] Ornamental** or other U fungicides with different groups that control the same pathogens.
- Use tank mixtures with fungicide from a different group when such use is permitted.
- Fungicide use should be based on an IPM program that includes scouting, historical information related to pesticide use and crop rotation and considers cultural, biological and other chemical control practices.
- Monitor treated fungal populations for resistance development.
- If disease continues to progress after treatment with this product, do not increase the use rate. Discontinue use of this product, and switch to another fungicide with a different target site of action, if available.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for specific crops and pathogens.
- For further information and to report suspected resistance, contact Bayer CropScience representatives at 1-800-334-7577 or at www.bayercropscience.ca.

EMERGENCY USE LABEL

DIRECTIONS FOR USE

CONTAINER AND FIELD-GROWN ORNAMENTAL PLANTS IN NURSERIES AND LANDSCAPE PLANTINGS

For Suppression of Sudden Oak Death (*Phytophthora Ramorum*) in Greenhouse, Container and Field-Grown Ornamental Plants in Nurseries and Landscape Plantings, and Conifers Grown in Nurseries and Landscape Plantations

CHIPCO ALIETTE[®] Ornamental is registered for ground application only and can be used as either a foliar spray or as a drench treatment.

FOLIAR APPLICATION:

Apply at 5 kg of product per hectare. Apply in a water volume not greater than 1000 L/ha. Spray to wet. Do not apply to run-off.
Maximum of 4 applications per year.

TIMING: Apply when conditions favour disease development (high soil moisture and cool temperatures), before disease onset, and repeat if necessary 2-3 weeks later. Treat when there is sufficient leaf area present to take up the spray; when leaves are actively growing, and at least 30 days prior to leaf drop in deciduous species.

DRENCH TREATMENT:

Use the appropriate dose rate as indicated in the table below. Apply as a high volume coarse spray (5 L of water per tree), using a handgun to drench the trunk and soil surrounding the tree. Maximum of 4 applications per year.

PLANT DENSITY DOSE RATE

Field stock (up to 500 trees/ha) 10 grams/tree
Container stock (> 500 trees/ha) 5-10 grams/tree
(maximum dose of 5.0 kg/ha per application)

Maintain a buffer zone of 8 meters between areas to be sprayed and aquatic environments.

RE-ENTRY: Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours

DO NOT APPLY BY AIR.

033108

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.