

08-MAR-2007

10-DEC-2009 2009-4949 : Notification : Change in Address

NET CONTENTS:
1 LITRE (35.2 FL. OZ.)

ACCLAIM (R) SUPER EW HERBICIDE
FOR SELECTIVE CONTROL OF ANNUAL GRASSES IN TURFGRASSES
COMMERCIAL

MUST BE APPLIED BY LICENSED APPLICATORS ONLY



WARNING - EYE IRRITANT
CAUTION – SKIN IRRITANT AND POTENTIAL SKIN SENSITIZER

GUARANTEE: fenoxaprop-p-ethyl 67 GRAMS PER LITRE (0.67 LBS/GAL)
Contains Formaldehyde at 0.036% as a preservative

REGISTRATION NO.: 21925
PEST CONTROL PRODUCTS ACT

Notification Change

Bayer CropScience Inc.*
#100, 3131-114th Avenue S.E.
Calgary, Alberta
T2Z 3X2
Telephone: 1-888-283- 6847

Suite 200
160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

***Bayer Environmental Science**
A Business Group of Bayer CropScience

READ THE LABEL AND ATTACHED PAMPHLET BEFORE USING.

STORAGE:

CANNOT BE STORED BELOW FREEZING. If stored for one year or longer, shake vigorously before using. Store the tightly closed container away from feeds, seeds, fertilizer, plants and foodstuffs. Keep in original container during storage.

RECYCLABLE CONTAINER DISPOSAL: Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact

your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

DISPOSAL OF UNUSED, UNWANTED PRODUCT: For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for cleanup of spills.

WASTE DISPOSAL: If any spray solution remains in the tank after spraying is finished, it should be sprayed on the perimeter of the field just sprayed, not over crop just sprayed, away from water supplies, ditches, and irrigation ditches.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. MAY CAUSE EYE DAMAGE. CAUSES EYE AND SKIN IRRITATION. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. AVOID BREATHING SPRAY MIST. PROTECTIVE EYE EQUIPMENT MUST BE WORN. TO MINIMIZE EXPOSURE, THE FOLLOWING PRECAUTIONS SHOULD BE FOLLOWED WHEN USING ACCLAIM SUPER HERBICIDE:

- Wear protective clothing such as coveralls, a long-sleeved shirt and chemical-resistant rubber gloves, and goggles or face shield.
- DO NOT handle product with bare hands. Chemical-resistant rubber gloves significantly reduce hand exposure. It is important to wear gloves for mixing/loading operations and when making sprayer and nozzle repairs and adjustments. DO NOT USE LEATHER OR CLOTH GLOVES.
- Rinse gloves with soap and water before removal and wash hands thoroughly before eating, smoking or drinking.

This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. DO NOT contaminate these systems through direct application, disposal of waste or cleaning equipment.

Avoid spray drift onto susceptible plants and USE ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED RATES. Keep people and pets off treated area for at least 24 hours or until foliage is dry.

CAUTION: TOXIC TO FISH. Do not apply within 15 metres (50 feet) of a body of water or wetland area. Do not contaminate water supply, ponds, lakes, rivers, streams and irrigation ditches by direct application, spray drift or when cleaning and rinsing spray equipment or containers.

FIRST AID: IN CASE OF POISONING, CALL A PHYSICIAN OR POISON CONTROL CENTRE IMMEDIATELY. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. If swallowed, DO NOT induce

vomiting, but rush patient to nearest hospital taking this label with you, or contact a poison control centre. In case of skin contact, remove contaminated clothing and wash skin thoroughly with soap and water. If splashed in eyes, flush with plenty of water for 15 minutes and take patient to hospital at once, taking this label with you, or contact a poison control centre. If inhaled, remove patient from site of exposure.

TOXICOLOGICAL INFORMATION: This product contains PETROLEUM DISTILLATES. Medical personnel should contact Bayer's medical information services toll-free 1-888-283-6847.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

ACCLAIM is a trademark of Bayer.

08-MAR-2007

**NET CONTENTS:
1 LITRE (35.2 FL. OZ.)**

ACCLAIM® SUPER EW HERBICIDE
FOR SELECTIVE CONTROL OF ANNUAL GRASSES IN TURFGRASSES
COMMERCIAL
MUST BE APPLIED BY LICENSED APPLICATORS ONLY



WARNING - EYE IRRITANT
CAUTION – SKIN IRRITANT AND POTENTIAL SKIN SENSITIZER

GUARANTEE: fenoxaprop-p-ethyl 67 GRAMS PER LITRE (0.67 LBS/GAL)
Contains Formaldehyde at 0.036% as a preservative

REGISTRATION NO.: 21925
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

Notification Change

Bayer CropScience Inc.*
#100, 3131-114th Avenue S.E.
Calgary, Alberta
T2Z 3X2
Telephone: 1-888-283- 6847

Suite 200
160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

***Bayer Environmental Science**
A Business Group of Bayer CropScience

DIRECTIONS FOR USE

GENERAL INFORMATION:

ACCLAIM SUPER EW HERBICIDE is a specially formulated herbicide for the selective, post-emergence control of annual grassy weeds in several established turfgrass species. ACCLAIM SUPER EW HERBICIDE does not control broadleaf plants and is not injurious to ornamental plants, trees and shrubs.

ACCLAIM SUPER EW HERBICIDE Herbicide may be applied to all cultivars of the following turfgrass species:

- Seedling and mature perennial ryegrass.
- Seedling and mature fine fescue.
- Kentucky bluegrass established a minimum of nine calendar months.

NOTE:

ACCLAIM SUPER EW HERBICIDE applied to Kentucky bluegrass, established 9-12 months may result in suppression of growth and a lightening of the turf species. These symptoms will be rapidly outgrown.

DO NOT APPLY ACCLAIM SUPER EW HERBICIDE TO BENTGRASS OR SEEDLING KENTUCKY BLUEGRASS.

Since ACCLAIM SUPER EW HERBICIDE is absorbed primarily through the foliage, and translocation occurs from leaf tips to the growing point, thorough coverage is essential. Visual injury to the grassy weed is evident 5–10 days after treatment (depending on environmental conditions) with complete control taking 14-21 days. Visible effects begin with general chlorosis and purpling of the leaf surface, followed by death of the weed.

SUSCEPTIBLE WEEDS:

Smooth and hairy crabgrass, green foxtail and yellow foxtail, barnyard grass and witch grass.

TIME AND RATE OF APPLICATION:

Apply ACCLAIM SUPER Herbicide when the grassy weeds are present and actively growing. For best results, apply ACCLAIM SUPER EW HERBICIDE to grassy weeds in the 1-4 leaf plus 3 tiller stage. Multi-tillered or heading grassy weeds may be sprayed and providing adequate coverage is attained, good efficacy will result. Heavy monostands of mature or maturing annual grassy weeds may require a second application 21 days after the first application to achieve complete control. Second applications may cause an initial slight reduction in turf vigour.

APPLICATION STAGES CHART

[LEAF AND TILLER DIAGRAM]

1 2 3 4 1 2 3 4
leaf leaves leaves leaves tiller tillers tillers tillers

Optimum ACCLAIM SUPER EW HERBICIDE

ACCLAIM
SUPER EW
Herbicide
may be
applied.
Ensure
adequate
coverage.

WEEDS CONTROLLED	RATE OF APPLICATION	TIME OF APPLICATION	COMMENTS
Smooth Crabgrass Hairy Crabgrass Foxtail species Witch grass Barnyard grass	13.5 mL/100 sq metres (0.45 fl. oz. /1000 sq. feet)	1 leaf–4 leaf plus 3 tillers and multi- tillered to heading. Second application to mature monostands	Ensure adequate coverage In heavy monostands a second application may be made a minimum of 21 days after the first application.

Note:

ACCLAIM SUPER EW HERBICIDE has no soil activity. Annual grassy weeds germinating after ACCLAIM SUPER EW HERBICIDE application will require a second application. This should not occur before 21 days has elapsed since the first application.

METHOD OF APPLICATION:

Best results are achieved with flat fan nozzles which produce fine droplet sizes and ensure good coverage.

COMPLETE TARGET COVERAGE IS ESSENTIAL FOR COMPLETE CONTROL.

DO NOT APPLY ACCLAIM SUPER EW HERBICIDE BY AIRCRAFT

ACCLAIM SUPER EW HERBICIDE must be applied by licensed applicators only.

Application with flat fan nozzles should be made in 400 to 800 litres of water per hectare (35-70 gallons/acre) or 4 to 8 litres of water per 100 square meters (1 to 2 gallons per 1000 square feet) at a pressure of 140 to 275 kPa (20 to 40 psi). For best results, ensure thorough coverage.

For applications made with a hand held pump sprayer, add 3 mL (0.10 fl. oz.) of product to 1-4 litres (35 to 140 fl. oz.) of water and cover an area of 24 square meters (260 sq. ft.).

Applications with pressurized hydraulic spray systems using a hand held gun or wand should be made in 800 litres of water per hectare, or 8 litres of water per 100 square metres (2 gallons per 1000 square feet) at a pressure of 200 to 400 kPa (30 to 60 psi).

Apply when weeds are actively growing. DO NOT apply if rain is expected within three hours of application. DO NOT water or irrigate for three hours after application.

MOWING INFORMATION:

ACCLAIM SUPER EW HERBICIDE is a systemic herbicide. For optimum activity, spray when maximum leaf area is present. Leaf clippings interfere with thorough spray coverage of the target weeds. DO NOT CUT GRASS FOR 4 DAYS BEFORE OR AFTER APPLICATION.

CAUTION:

DO NOT spray during periods where grassy weeds are under drought stress and visibly wilted, as poor control will result.

CAUTION:

DO NOT tank mix ACCLAIM SUPER EW HERBICIDE with any other herbicide or other pesticide.

CAUTION:

Start with a clean spray tank. Clean the spraying system with household ammonia before mixing and spraying ACCLAIM SUPER EW HERBICIDE.

CAUTION:

DO NOT spray a broadleaf herbicide on a turf species 7 days prior to, or 7 days after an ACCLAIM SUPER EW HERBICIDE application.

TANK MIXES WITH WATER SOLUBLE FERTILIZER:

ACCLAIM SUPER EW HERBICIDE may be tank mixed and applied with water soluble turf fertilizers such as 16-2-6, 20-0-7, 35-5-10. Consult the turf fertilizer label for correct fertilizer rate.

When mixing ACCLAIM SUPER EW HERBICIDE with a turf fertilizer, ensure that the fertilizer is added first to the spray tank. The fertilizer should be totally dissolved PRIOR to adding the ACCLAIM SUPER EW HERBICIDE. To ensure adequate mixing, agitate the solution.

Apply this mix in 8 litres per 100 square meters (2 gallons per 1000 square feet). If applied in conditions of stress, this mix may result in a slight reduction of overall grassy weed control.

CAUTION:

TOXIC TO FISH: Do not apply within 15 metres (50 feet) of a body of water or wetland area. Do not contaminate water supply, ponds, lakes, rivers, streams and irrigation ditches by direct application, spray drift or when cleaning and rinsing spray equipment or containers.

STORAGE:

CANNOT BE STORED BELOW FREEZING. If stored for one year or longer, shake vigorously before using. Store the tightly closed container away from feeds, seeds, fertilizer, plants and foodstuffs. Keep in original container during storage.

WASTE DISPOSAL:

Empty containers should be triple rinsed into the spray tank prior to the spray operation. The spray solution should be sprayed out over adjacent land, **NOT OVER AREA JUST SPRAYED**, away from water supplies, ditches and irrigation canals.

RECYCLABLE CONTAINER DISPOSAL:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

DISPOSAL OF UNUSED, UNWANTED PRODUCT:

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for cleanup of spills.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. MAY CAUSE EYE DAMAGE. CAUSES EYE AND SKIN IRRITATION. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. AVOID BREATHING SPRAY MIST. PROTECTIVE EYE EQUIPMENT MUST BE WORN. TO MINIMIZE EXPOSURE, THE FOLLOWING PRECAUTIONS SHOULD BE FOLLOWED WHEN USING ACCLAIM SUPER HERBICIDE:

- Wear protective clothing such as coveralls, a long-sleeved shirt and chemical-resistant rubber gloves, and goggles or face shield.
- **DO NOT** handle product with bare hands. Chemical-resistant rubber gloves significantly reduce hand exposure. It is important to wear gloves for mixing/loading operations and when making sprayer and nozzle repairs and adjustments. **DO NOT USE LEATHER OR CLOTH GLOVES.**
- Rinse gloves with soap and water before removal and wash hands thoroughly before eating, smoking or drinking.

Avoid spray drift onto susceptible plants and **USE ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED RATES**. Keep people and pets off treated area for at least 24 hours or until foliage is dry.

This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. **DO NOT** contaminate these systems through direct application, disposal of waste or cleaning equipment.

FIRST AID: IN CASE OF POISONING, CALL A PHYSICIAN OR POISON CONTROL CENTRE IMMEDIATELY. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. If swallowed, **DO NOT** induce vomiting, but rush patient to nearest hospital taking this label with you, or contact a poison control centre. In case of skin contact, remove contaminated clothing and wash skin thoroughly with soap and water. If splashed in eyes, flush with plenty of water for 15 minutes and take patient to hospital at once, taking this label with you, or contact a poison control centre. If inhaled, remove patient from site of exposure.

TOXICOLOGICAL INFORMATION: This product contains PETROLEUM DISTILLATES. Medical personnel should contact Bayer's medical information services toll-free 1-888-283-6847.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FOR MORE INFORMATION CONTACT:

Notification Change

Bayer CropScience Inc.*
#100, 3131-114th Avenue S.E.
Calgary, Alberta
T2Z 3X2
Telephone: 1-888-283- 6847

Suite 200
160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

***Bayer Environmental Science**
A Business Group of Bayer CropScience

ACCLAIM is a trademark of Bayer..

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.